```
b345;s pn=us 6004582;t1/39/1
       07jan03 15:00:40 User259289 Session D449.1
            $0.00    0.082 DialUnits File415
     $0.00  Estimated cost File415
     $0.43  TELNET
     $0.43  Estimated cost this search
     $0.43  Estimated total session cost   0.082 DialUnits


File 345:Inpadoc/Fam.& Legal Stat  1968-2002/UD=200252
       (c) 2003 EPO

      Set  Items  Description
      ---  -----  -----------
      S1       1  PN=US 6004582

 1/39/1
DIALOG(R)File 345:Inpadoc/Fam.& Legal Stat
(c) 2003 EPO. All rts. reserv.

15618325
Basic Patent (No,Kind,Date): CA 2261787 AA 19981203   <No. of Patents: 010>
Patent Family:
    Patent No    Kind  Date      Applic No   Kind  Date
    AU 9877065     A1  19981230    AU 9877065     A   19980529
    BR 9802144     A   19990525    BR 98U2144     A   19980529
    CA 2261787     AA  19981203    CA 2261787     A   19980529  (BASIC)
    CN 1228020     T   19990908    CN 98800728    A   19980529
    EP 914098      A1  19990512    EP 98925026    A   19980529
    EP 914098      A4  20011219    EP 98925026    A   19980529
    IL 128043      A0  19991130    IL 128043      A   19980529
    JP 2000516637  T2  20001212    JP 99500972    A   19980529
    US 6004582     A   19991221    US 86871       A   19980529
    WO 9853802     A1  19981203    WO 98US11010   A   19980529
Priority Data (No,Kind,Date):
    AR 9702351 A  19970530
    WO 98US11010 W  19980529
    US 86871 A  19980529

PATENT  FAMILY:
AUSTRALIA (AU)
  Patent (No,Kind,Date):  AU 9877065  A1  19981230
    MULTI-LAYERED OSMOTIC DEVICE (English)
    Patent Assignee:  PHOENIX U S A INC LAB
    Author (Inventor):  FAOUR JOAQUINA; MAYORGA JORGE
    Priority  (No,Kind,Date):   AR 9702351  A   19970530; WO 98US11010  W
      19980529; US 86871  A   19980529
    Applic (No,Kind,Date):  AU 9877065  A   19980529
    IPC: *  A61K-009/22
    CA Abstract No: *  130(04)043357S
    Derwent WPI Acc No: *  C  99-034915
    Language of Document:  English

AUSTRALIA (AU)
  Legal Status (No,Type,Date,Code,Text):
     AU  9877065      A   20000210  AU MK6       APPLICATION LAPSED SECTION
                              142(2)(F)/REG.   8.3(3)  -  PCT  APPLIC.  NOT
                              ENTERING NATIONAL PHASE

BRAZIL (BR)
  Patent (No,Kind,Date):  BR 9802144  A   19990525
    DISPOSITIVO OSMOTICO MULTICAPA APERFEICOADO (Portugese)
```

Patent Assignee: MAYORGA JORGE EZEQUIEL (AR)
Author (Inventor): MAYORGA JORGE EZEQUIEL (AR)
Priority (No,Kind,Date): AR 9702351 A 19970530; US 86871 A 19980529
Applic (No,Kind,Date): BR 98U2144 A 19980529
IPC: * A61K-009/24
CA Abstract No: * 130(04)043357S
Derwent WPI Acc No: * C 99-034915
Language of Document: Portugese

BRAZIL (BR)
Legal Status (No,Type,Date,Code,Text):
BR 9802144 P 20000215 BR PC TRANSFER (TRANSFERENCIA DEFERIDA)
Laboratorios Phoenix S.A.I.C.F. (BR/SP)

CANADA (CA)
Patent (No,Kind,Date): CA 2261787 AA 19981203
MULTI-LAYERED OSMOTIC DEVICE (English; French)
Patent Assignee: PHOENIX U S A INC LAB (US)
Author (Inventor): FAOUR JOAQUINA (AR); MAYORGA JORGE (AR)
Priority (No,Kind,Date): AR 9702351 A 19970530; US 86871 A 19980529
Applic (No,Kind,Date): CA 2261787 A 19980529
IPC: * A61K-009/22; A61K-009/52
CA Abstract No: * 130(04)043357S
Derwent WPI Acc No: * C 99-034915
Language of Document: English

CANADA (CA)
Legal Status (No,Type,Date,Code,Text):
CA 2261787 P 19990128 CA REFW CORRESPONDS TO PCT APPLICATION (ENTSPRICHT PCT ANMELDUNG)
WO 9853802 P

CHINA (CN)
Patent (No,Kind,Date): CN 1228020 T 19990908
MULTI-LAYERED OSMOTIC DEVICE (English)
Patent Assignee: PHOENIX U S A INC LAB (US)
Author (Inventor): FAOUR JOAQUINA (US); MAYORGA JORGE (US)
Priority (No,Kind,Date): AR 9702351 A 19970530; US 86871 A 19980529
Applic (No,Kind,Date): CN 98800728 A 19980529
IPC: * A61K-009/22
CA Abstract No: * 130(04)043357S
Derwent WPI Acc No: * C 99-034915
Language of Document: Chinese

EUROPEAN PATENT OFFICE (EP)
Patent (No,Kind,Date): EP 914098 A1 19990512
MULTI-LAYERED OSMOTIC DEVICE (English; French; German)
Patent Assignee: PHOENIX U S A INC LAB (US)
Author (Inventor): FAOUR JOAQUINA (AR); MAYORGA JORGE (AR)
Priority (No,Kind,Date): AR 9702351 A 19970530; WO 98US11010 W 19980529; US 86871 A 19980529
Applic (No,Kind,Date): EP 98925026 A 19980529
Designated States: (National) AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU; MC; NL; PT; SE
IPC: * A61K-009/22
CA Abstract No: * 130(04)043357S
Derwent WPI Acc No: * C 99-034915
Language of Document: English

Searched by M. Smith

Patent (No,Kind,Date): EP 914098 A4 20011219
MULTI-LAYERED OSMOTIC DEVICE (English; French; German)
Patent Assignee: PHOENIX U S A INC LAB (US)
Author (Inventor): FAOUR JOAQUINA (AR); MAYORGA JORGE (AR)
Priority (No,Kind,Date): AR 9702351 A 19970530; WO 98US11010 W 19980529; US 86871 A 19980529
Applic (No,Kind,Date): EP 98925026 A 19980529
Designated States: (National) AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU; MC; NL; PT; SE
IPC: * A61K-009/22; A61K-009/00
CA Abstract No: * 130(04)043357S
Derwent WPI Acc No: * C 99-034915
Language of Document: English

EUROPEAN PATENT OFFICE (EP)
Legal Status (No,Type,Date,Code,Text):

EP 914098	P	19970530	EP AA PRIORITY (PATENT APPLICATION) (PRIORITAET (PATENTANMELDUNG)) AR 9702351 A 19970530
EP 914098	P	19980529	EP AA PRIORITY (PATENT APPLICATION) (PRIORITAET (PATENTANMELDUNG)) US 86871 A 19980529
EP 914098	P	19980529	EP AA PCT-APPLICATION (PCT-ANMELDUNG) WO 98US11010 W 19980529
EP 914098	P	19980529	EP AE EP-APPLICATION (EUROPAEISCHE ANMELDUNG) EP 98925026 A 19980529
EP 914098	P	19990512	EP AK DESIGNATED CONTRACTING STATES IN AN APPLICATION WITH SEARCH REPORT: (IN EINER ANMELDUNG BENANNTE VERTRAGSSTAATEN) AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE
EP 914098	P	19990512	EP A1 PUBLICATION OF APPLICATION WITH SEARCH REPORT (VEROEFFENTLICHUNG DER ANMELDUNG MIT RECHERCHENBERICHT)
EP 914098	P	19990512	EP 17P REQUEST FOR EXAMINATION FILED (PRUEFUNGSANTRAG GESTELLT) 19990122
EP 914098	P	20011219	EP AK DESIGNATED CONTRACTING STATES MENTIONED IN A SUPPLEMENTARY SEARCH REPORT: (IN EINEM ERGAENZENDEN RECHERCHENBERICHT BENANNTE VERTRAGSSTAATEN) AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE
EP 914098	P	20011219	EP A4 SUPPLEMENTARY SEARCH REPORT (ERGAENZENDER RECHERCHENBERICHT) 20011106
EP 914098	P	20011219	EP RIC1 CLASSIFICATION (CORRECTION) (KLASSIFIKATION (KORR.)) 7A 61K 9/22 A, 7A 61K 9/00 B
EP 914098	P	20021002	EP 17Q FIRST EXAMINATION REPORT (ERSTER PRUEFUNGSBESCHEID) 20020813
EP 914098	P	20021009	EP RAP1 APPLICANT REASSIGNMENT (CORRECTION) (ANMELDER UEBERTRAGUNG (KORR.)) OSMOTICA CORP.

ISRAEL (IL)
Patent (No,Kind,Date): IL 128043 A0 19991130
MULTI-LAYERED OSMOTIC DEVICE (English)
Patent Assignee: PHOENIX U S A INC LAB
Priority (No,Kind,Date): AR 9702351 A 19970530; WO 98US11010 W 19980529
Applic (No,Kind,Date): IL 128043 A 19980529
IPC: * A61K
CA Abstract No: * 130(04)043357S
Derwent WPI Acc No: * C 99-034915
Language of Document: English

JAPAN (JP)
Patent (No,Kind,Date): JP 2000516637 T2 20001212
Priority (No,Kind,Date): AR 9702351 A 19970530; WO 98US11010 W 19980529
Applic (No,Kind,Date): JP 99500972 A 19980529
IPC: * A61K-009/24; A61K-031/137; A61K-031/341; A61K-031/40; A61K-031/4468; A61K-031/4545; A61K-031/522; A61K-031/554; A61K-047/32
CA Abstract No: * 130(04)043357S
Derwent WPI Acc No: * C 99-034915
Language of Document: Japanese

UNITED STATES OF AMERICA (US)
Patent (No,Kind,Date): US 6004582 A 19991221
MULTI-LAYERED OSMOTIC DEVICE (English)
Patent Assignee: PHOENIX U S A INC LAB (AR)
Author (Inventor): FAOUR JOAQUINA (AR); MAYORGA JORGE (AR)
Priority (No,Kind,Date): US 86871 A 19980529; AR 9702351 A 19970530
Applic (No,Kind,Date): US 86871 A 19980529
National Class: * 424473000; 424468000; 424472000; 424474000; 424476000; 424475000; 424479000; 424482000
IPC: * A61K-009/22; A61K-009/24
CA Abstract No: * 130(04)043357S
Derwent WPI Acc No: * C 99-034915
Language of Document: English

UNITED STATES OF AMERICA (US)
Legal Status (No,Type,Date,Code,Text):

US 6004582	P	19970530	US AA	PRIORITY (PATENT) AR 9702351 A 19970530
US 6004582	P	19980529	US AE	APPLICATION DATA (PATENT) (APPL. DATA (PATENT)) US 86871 A 19980529
US 6004582	P	19991221	US A	PATENT
US 6004582	P	20020326	US RF	REISSUE APPLICATION FILED (REISSUE APPL. FILED) 20011203

WORLD INTELLECTUAL PROPERTY ORGANIZATION, PCT (WO)
Patent (No,Kind,Date): WO 9853802 A1 19981203
MULTI-LAYERED OSMOTIC DEVICE (English)
Patent Assignee: PHOENIX U S A INC LAB (US); FAOUR JOAQUINA (AR); MAYORGA JORGE (AR)
Author (Inventor): FAOUR JOAQUINA (AR); MAYORGA JORGE (AR)
Priority (No,Kind,Date): AR 9702351 A 19970530; US 86871 A 19980529
Applic (No,Kind,Date): WO 98US11010 A 19980529
Designated States: (National) AL; AM; AT; AU; AZ; BA; BB; BG; BR; BY; CA; CH; CN; CU; CZ; DE; DK; EE; ES; FI; GB; GE; GH; GM; GW; HU; ID;

IL; IS; JP; KE; KG; KP; KR; KZ; LC; LK; LR; LS; LT; LU; LV; MD; MG; MK; MN; MW; MX; NO; NZ; PL; PT; RO; RU; SD; SE; SG; SI; SK; SL; TJ; TM; TR; TT; UA; UG; US; UZ; VN; YU; ZW (Regional) GH; GM; KE; LS; MW; SD; SZ; UG; ZW; AM; AZ; BY; KG; KZ; MD; RU; TJ; TM; AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LU; MC; NL; PT; SE; BF; BJ; CF; CG; CI; CM; GA; GN; ML; MR; NE; SN; TD; TG

Filing Details: WO 100000 With international search report

IPC: * A61K-009/22

CA Abstract No: * 130(04)043357S; 130(04)043357S

Derwent WPI Acc No: * C 99-034915; C 99-034915

Language of Document: English

WORLD INTELLECTUAL PROPERTY ORGANIZATION, PCT (WO)

Legal Status (No,Type,Date,Code,Text):

WO 9853802	P	19970530	WO AA	PRIORITY (PATENT) AR 9702351 A 19970530
WO 9853802	P	19980529	WO AA	PRIORITY (PATENT) US 86871 A 19980529
WO 9853802	P	19980529	WO AE	APPLICATION DATA (APPL. DATA) WO 98US11010 A 19980529
WO 9853802	P	19981203	WO AK	DESIGNATED STATES CITED IN A PUBLISHED APPLICATION WITH SEARCH REPORT (DESIGNATED STATES CITED IN A PUBLISHED APPL. WITH SEARCH REPORT) AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB GE GH GM GW HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG US UZ VN YU ZW
WO 9853802	P	19981203	WO AL	DESIGNATED COUNTRIES FOR REGIONAL PATENTS CITED IN A PUBLISHED APPLICATION WITH SEARCH REPORT (DESIGNATED COUNTRIES FOR REGIONAL PATENTS CITED IN A PUBLISHED APPL. WITH SEARCH REPORT) GH GM KE LS MW SD SZ UG ZW AM AZ BY KG KZ MD RU TJ TM AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE BF BJ CF CG CI CM GA GN ML MR NE SN TD TG
WO 9853802	P	19981203	WO A1	PUBLICATION OF THE INTERNATIONAL APPLICATION WITH THE INTERNATIONAL SEARCH REPORT (PUB. OF THE INTERNATIONAL APPL. WITH THE INTERNATIONAL SEARCH REPORT)
WO 9853802	P	19990128	WO ENP	ENTRY INTO THE NATIONAL PHASE IN: CA 2261787 AA
WO 9853802	P	19990414	WO 121	EP: PCT APP. ART. 158 (1) (EP: PCT ANM. ART. 158 (1))
WO 9853802	P	19990930	DE 8642/REG	IMPACT ABOLISHED FOR DE (WIRKUNG WEGGEFALLEN FUER DE)

?

Channavajjala Pat. No. 6,004,582

1/1 PLUSPAT - ©QUESTEL-ORBIT

PN - **US6004582** A 19991221 [**US6004582**]

TI - (A) Multi-layered osmotic device

PA - (A) PHOENIX U S A INC LAB (AR)

IN - (A) FAOUR JOAQUINA (AR); MAYORGA JORGE (AR)

AP - US8687198 19980529 [1998US-0086871]

PR - US8687198 19980529 [1998US-0086871]
AR9702351 19970530 [1997AR-0002351]

IC - (A) A61K-009/22 A61K-009/24

EC - A61K-009/00L4

PCL - ORIGINAL (O) : 424473000; CROSS-REFERENCE (X) : 424468000 424472000 424474000 424475000 424476000 424479000 424482000

DT - Corresponding document

CT - US4014334; US4335099; US4576604; US4673405; US4801461; US4810502; US5035897; US5558879; US5681584

STG - (A) United States patent

AB - The present invention provides a simple and improved multi-layered osmotic device (1) that is capable of delivering a first active agent in an outer lamina (2) to one environment of use and a second active agent in the core (5) to another environment of use. Particular embodiments of the invention provide osmotic devices in which the first and second active agents are similar or dissimilar. An erodible polymer coat (3) between an internal semipermeable membrane (4) and a second active agent-containing external coat (2) comprises poly(vinylpyrrolidone)-(vinyl acetate) copolymer. This particular erodible polymer results in an improved multi-layered osmotic device possessing advantages over related devices known in the art. The active agent in the core (5) is delivered through a pore (6) containing an erodible plug (7). The osmotic device (1) can be coated by a final finish coat (8).